


CURVE	RADIUS	LENGTH	TANGENT	DELTA
C-1	217.92	174.39	33.17	45.91 08°
C-2	875.40	20.52	10.26	01 20 34°
C-3	581.19	207.12	104.47	26 25 07°
C-4	84.67	165.42	125.34	111 56 33°
C-5	99.53	24.48	12.50	14 00 00°
C-6	49.85	61.68	33.89	50 02 34°
C-7	113.15	99.14	53.01	50 12 07°
C-8	106.45	53.94	27.03	28 29 26°
C-9	1894.21	64.57	32.29	01 51 19°
C-10	1744.21	45.40	22.70	01 18 18°
C-11	875.40	203.54	102.23	13 19 19°
C-12	106.45	786.44	125.00	27 11 10°
C-13	591.00	141.32	71.00	13 41 59°
C-14	636.88	48.09	24.00	04 42 00°
C-15	400.57	97.22	48.88	13 55 33°
C-16	446.22	204.94	103.34	18 01 13°
C-17	628.68	51.74	25.89	04 42 00°
C-18	287.85	129.85	65.91	25 27 07°
C-19	25.00	3.39	1.69	17 38 37°
C-20	37.22	14.23	7.20	21 54 03°
C-21	171.58	118.11	61.50	36 26 54°
C-22	37.22	5.73	2.87	10 51 10°
C-23	304.11	76.34	38.19	14 43 33°
C-24	25.00	14.46	7.44	13 09 07°
C-25	213.89	33.30	16.65	09 52 24°
C-26	180.57	144.12	72.06	28 25 48°
C-27	152.71	165.65	90.00	61 00 31°
C-28	69.89	13.07	6.54	27 04 04°
C-29	170.26	77.61	38.49	26 07 04°
C-30	30.61	10.37	5.54	23 01 11°
C-31	133.33	29.87	15.00	12 50 10°
C-32	226.67	97.86	48.77	24 46 30°
C-33	145.34	43.95	21.97	16 44 03°
C-34	507.21	63.77	32.00	11 53 36°
C-35	274.65	70.51	35.25	20 10 26°
C-36	63.14	9.38	4.69	06 36 06°

CURVE	RADIUS	LENGTH	TANGENT	DELTA
C-37	306.35	189.12	102.00	31 08 28°
C-38	259.13	78.48	39.24	17 21 12°
C-39	187.87	402.82	209.68	23 48 30°
C-40	258.19	188.34	98.58	41 47 45°
C-41	113.14	76.13	39.57	38 53 11°
C-42	47.51	9.96	5.00	10 00 57°
C-43	78.77	35.13	17.86	25 33 12°
C-44	379.61	83.09	41.21	12 23 26°
C-45	273.04	35.95	18.00	07 32 33°
C-46	49.80	3.97	2.00	13 07 24°
C-47	165.58	57.75	29.17	18 28 59°
C-48	475.81	188.78	100.88	23 25 02°
C-49	165.33	131.90	69.69	48 42 37°
C-50	115.68	78.44	43.08	41 03 06°
C-51	525.77	225.55	111.92	14 02 03°
C-52	146.32	99.86	51.96	39 06 13°
C-53	146.32	99.86	51.96	39 06 13°
C-54	1057.68	48.23	24.47	02 39 02°
C-55	1057.68	30.52	15.47	14 09 22°
C-56	138.96	28.83	14.46	11 55 10°
C-57	38.66	5.73	3.00	14 40 07°
C-58	450.44	280.43	144.92	35 40 13°

LINE	DIRECTION	DISTANCE
L-1	S 80° 07' 01" E	36.34
L-2	N 89° 23' 27" E	57.17
L-3	N 89° 23' 27" E	168.89
L-4	N 88° 46' 21" E	155.36
L-5	S 70° 04' 21" E	25.36
L-6	N 44° 08' 02" E	96.62
L-7	N 80° 00' 00" E	33.54
L-8	N 50° 45' 01" E	144.97
L-9	N 46° 30' 59" W	85.70
L-10	N 65° 56' 08" W	174.27
L-11	N 65° 56' 08" W	198.56
L-12	N 65° 56' 08" W	47.66
L-13	N 52° 02' 34" E	21.03
L-14	N 00° 00' 00" E	34.79
L-15	N 78° 41' 30" W	225.74
L-16	N 88° 05' 01" E	61.69
L-17	N 46° 30' 59" W	52.02
L-18	S 24° 00' 40" E	164.51
L-19	S 44° 18' 00" E	71.97
L-20	S 32° 34' 51" E	82.66
L-21	S 60° 43' 32" E	51.40
L-22	N 60° 51' 53" W	35.04
L-23	S 65° 04' 30" W	111.80
L-24	S 89° 36' 07" E	229.22
L-25	S 66° 36' 07" E	49.97
L-26	S 19° 15' 09" W	31.99
L-27	S 51° 55' 44" W	7.99
L-28	S 77° 22' 26" W	32.68
L-29	S 85° 04' 30" W	111.80
L-30	N 00° 00' 00" E	71.97
L-31	N 24° 30' 21" E	120.90
L-32	N 78° 41' 30" W	22.18
L-33	S 78° 37' 17" E	18.60
L-34	S 74° 50' 07" W	71.44

LINE	DIRECTION	DISTANCE
L-35	S 27° 14' 21" E	36.19
L-36	S 38° 21' 20" E	20.06
L-37	S 68° 52' 17" W	105.14
L-38	N 05° 36' 03" W	34.07
L-39	N 07° 11' 07" E	15.04
L-40	N 21° 52' 41" E	134.78
L-41	N 13° 03' 21" E	35.34
L-42	N 50° 45' 01" E	4.40
L-43	N 62° 38' 56" E	50.70
L-44	N 70° 07' 01" E	0.93
L-45	N 50° 57' 03" E	32.84
L-46	N 50° 57' 03" E	11.36
L-47	S 69° 11' 29" W	160.17
L-48	N 00° 00' 00" W	31.10
L-49	N 88° 55' 11" E	301.74
L-50	N 00° 00' 00" W	70.26
L-51	S 83° 39' 11" E	65.29
L-52	N 84° 13' 02" E	68.48
L-53	N 75° 59' 00" E	5.82
L-54	S 28° 00' 49" E	44.51
L-55	N 33° 37' 37" E	36.04
L-56	N 44° 05' 20" E	5.90
L-57	N 65° 04' 10" E	3.18
L-58	N 35° 36' 35" W	49.80
L-59	S 74° 44' 50" W	11.23
L-60	S 33° 41' 49" W	1.45
L-61	N 65° 11' 12" W	137.16



GeoDimensions
Surveying
Civil Engineering
Planning
Construction Services


NINE MILE RANCH DIVISION V
OKANOGAN COUNTY WASHINGTON
SHEET 3 OF 4

PROJ. NO. 94701
DATE 10/28/08

5000 E Center Road
State St
P.O. Box 150
Pacifica, WA 98043
Phone: (206) 865-8800
Fax: (206) 865-4278

NINE MILE RANCH DIVISION V

T 40N, R 28E, WM
A PORTION OF SECTIONS 5, 6, & 8
OKANOGAN COUNTY, WASHINGTON



NOTES
1 LOT LINES AND DISTANCES EXTEND TO THE CENTERLINE OF THE 60' EASEMENT LOT MONUMENTS ARE SET ON THE EASEMENT RIGHT OF WAY

LEGEND


- SET 40' BEARS & CAP STAMPED: GECOM 12263
- QUARTER CORNER MONUMENT (TYPICAL)
- SECTION CORNER MONUMENT (TYPICAL)
- SHEET MATCH LINE
- CALCULATED POINT (END OF LOT LINE AT CENTERLINE TIP)

CURVE TABLE

CURVE	RADIUS	LENGTH	TANGENT	DELTA
C-11	25.00	0.02	2.52	11.5017°
C-12	808.65	160.68	80.60	11.2304°
C-13	25.00	6.29	1.42	15.3132°
C-14	1324.19	63.48	47.50	03.0009°
C-15	1300.20	261.97	81.00	02.4636°
C-16	438.86	222.63	103.75	26.2716°
C-17	319.55	169.88	88.46	30.1547°
C-18	746.69	126.30	63.30	09.4729°
C-19	626.68	49.05	24.04	29.2244°
C-46	646.22	204.94	103.34	18.7513°
C-47	628.68	17.74	2.68	04.4366°
C-48	1014.73	154.68	79.50	08.5734°
C-49	249.14	78.33	39.50	18.0211°
C-50	817.41	174.05	179.50	14.2619°
C-51	113.73	74.25	38.50	37.2415°
C-52	746.80	171.79	84.00	08.3043°
C-53	272.27	55.80	28.00	11.4435°
C-54	2765.10	236.85	113.50	04.8602°
C-55	699.20	89.83	50.00	08.1920°
C-56	413.50	261.55	130.31	18.1410°
C-57	746.55	130.33	66.73	10.1716°
C-58	171.01	151.15	77.67	23.3725°
C-59	286.10	69.01	34.65	14.4456°
C-60	887.33	160.84	80.50	09.1921°
C-61	1044.81	276.80	138.50	04.0116°
C-62	746.69	160.36	80.69	12.1817°
C-63	155.04	83.88	42.00	07.2316°
C-64	174.35	41.96	21.00	08.2819°
C-65	172.61	144.14	72.58	27.0620°
C-66	161.86	93.79	48.26	13.1705°
C-67	277.01	192.28	102.97	30.4605°

LINE TABLE

LINE	DIRECTION	DISTANCE
L-4	N88°46'21"E	155.36
L-24	S89°11'55"E	129.83
L-25	S83°10'20"E	41.58
L-26	S60°20'23"E	141.09
L-27	S33°53'11"E	90.21
L-28	S84°09'59"E	44.00
L-34	S84°43'43"E	51.46
L-36	N60°11'31"W	35.04
L-66	S84°30'07"E	492.27
L-68	N81°17'03"E	117.63
L-69	S81°25'07"E	40.05
L-70	N81°14'40"E	63.74
L-71	S74°47'00"E	28.35
L-72	N67°46'44"E	70.92
L-73	N70°27'28"E	278.70
L-74	N64°42'53"E	119.64
L-75	N64°43'54"E	139.07
L-76	S32°28'13"E	60.55
L-77	S24°29'29"E	26.20
L-78	N63°39'36"E	218.31
L-79	N68°16'54"E	80.84
L-80	N88°19'28"E	130.40
L-81	S76°57'34"E	239.51
L-82	S84°51'16"E	21.37
L-83	N69°14'26"E	170.24
L-84	S64°15'44"E	1.60
L-85	N60°38'17"E	46.27
L-86	S68°08'44"E	82.10



GeoDimensions



3000 S. Center Road
Spokane, WA 99201
Phone: (509) 651-8800
Fax: (509) 651-5215

* Land Surveying
* Civil Engineering
* Photogrammetry
* Water Resources
* Construction Services

NINE MILE RANCH
DIVISION V
OKANOGAN COUNTY, WASHINGTON

PROJ. NO. 94701
SHEET 4 OF 4

**NINE MILE RANCH
DIVISION V
T 40N., R 28E., W M
A PORTION OF SECTIONS 5, 6, & 8
OKANOGAN COUNTY, WASHINGTON**



NOTES

1. ALL EXISTING MONUMENTS WERE VISITED BETWEEN 3-24-95 AND 4-18-95
2. FIELD TRAVERSES WERE PERFORMED WITH A SOKKISHA/LIETZ SET 2 AND SET 3 TOTAL STATIONS HAVING A 2" AND 3" ANGULAR CAPABILITY. TRAVERSES WERE BALANCED USING THE LEAST SQUARES METHOD.
3. INITIAL CONTROL AND SUBSEQUENT FIELD POINTS, WERE ESTABLISHED USING TRIMBLE GPS NAVIGATION SURVEY EQUIPMENT.
4. FIELD DATA PROCESSING FOR GPS SURVEY EQUIPMENT WAS PERFORMED WITH TRIMBLE GPS SOFTWARE AND ADCADD CIVIL SOFTWARE.
5. BASIS OF BEARING IS WASHINGTON STATE PLANE COORDINATE SYSTEM NAD 83 (91) 4801 WASHINGTON NORTH ZONE.
6. MEASURED DISTANCES ARE IN STATE PLANE U.S. SURVEY FEET AND DECIMAL FEET, AND CAN BE CONVERTED TO GROUND DISTANCE BY MULTIPLYING A COMBINED FACTOR OF 1.00007431.
7. SECTION CONTROL DATA IS RECORDED IN VOL. X OF SURVEYS AT PAGES 252, 253.
8. WATER OF SUFFICIENT QUALITY AND QUANTITY FOR NORMAL DOMESTIC PURPOSES, IS NOT PROVIDED AT THE TIME OF FILING OF THIS PLAT.
9. SANITARY SEWER DISPOSAL SYSTEMS CANNOT BE APPROVED AT THE TIME OF FILING OF THIS PLAT.
10. ACCESS BY COUNTY ROAD TO ALL LOTS WITHIN THE PLAT IS NOT PROVIDED AT THE TIME OF FILING OF THIS PLAT. MAINTENANCE OF THE PRIVATE ROADS SHALL BE THE RESPONSIBILITY OF THE NINE MILE RANCH HOMEOWNERS ASSOCIATION.
11. SNOWPLOWING WILL BE PROVIDED BY THE NINE MILE RANCH HOMEOWNERS ASSOCIATION.
12. SCHOOL BUS SERVICE IS NOT PROVIDED AT THE TIME OF THE FILING OF THIS PLAT. THE BUYER SHOULD INQUIRE/INVESTIGATE AS TO THE AVAILABILITY OF SUCH SERVICE.
13. PRIVATE INGRESS, EGRESS, AND UTILITY EASEMENTS ARE 60.00' IN WIDTH LYING 30.00' EACH SIDE OF THE CENTERLINE, AND SHALL BE FOR THE USE OF ALL LOTS OF THIS PLAT. THE CENTERLINE OF SAID EASEMENT IS ALSO THE PROPERTY LINE FOR THE LOTS ADJOINING THIS EASEMENT.
14. ROADS MAY HAVE BEEN CONSTRUCTED AFTER THIS SURVEY WAS RECORDED AND MAY NOT BE WITHIN DESIGNATED EASEMENTS.

LEGAL DESCRIPTION

Section 5
All EXCEPT the East half of the Southeast quarter thereof

Section 6
Government Lots 7, 8, and 9, the East half of the Southwest quarter and the Southeast quarter.

Section 8
North half of the North half Southeast quarter of the Northeast quarter and the East half of the Southwest quarter of the Northeast quarter.

AUDITORS CERTIFICATE

FILED FOR RECORD THIS 12 DAY OF JAN 1996 AT 9:52 AM
IN BOOK L OF SURVEYS AT PAGE 6, 7, 8, 9

836884 PEGGY ROBBINS
AUDITORS NO. COUNTY AUDITOR
Paul Gregg DEPUTY AUDITOR

SURVEYORS CERTIFICATE

THIS MAP CORRECTLY REPRESENTS A SURVEY MADE BY ME, OR UNDER MY DIRECTION, IN CONFORMANCE WITH THE REQUIREMENTS OF THE SURVEY RECORDING ACT AT THE REQUEST OF THE TACOMA LAND COMPANY.



Norman Nelson
22963 CERTIFICATE NO.
1/1/96 DATE


GEOLOGICAL ENGINEERING
 5000 U.S. Center Road
 Suite B
 Everett, WA 98201
 Phone: (509) 855-8800
 Fax: (509) 855-1278
 E-mail: geoinc@geoinc.com

GEOLOGICAL ENGINEERING
 1000 University
 Civil Engineering
 1000 University
 1000 University
 1000 University

NINE MILE RANCH
 DIVISION V
 OKANOGAN COUNTY WASHINGTON
 DATE: 1-12-96

PROJ. NO. 94701
 SHEET OF 4

NINE MILE RANCH DIVISION V T 40N., R 28E., W M A PORTION OF SECTIONS 5, 6, & 8 OKANOGA COUNTY, WASHINGTON



LEGEND

- CHISELED X ROCK IN PLACE
- SET #5 REBAR & CAP
STAMPED GEOMETRIC 22963
- QUARTER CORNER MONUMENT (TYPICAL)
- SECTION CORNER MONUMENT (TYPICAL)
- SHEET MAT H. LINE

LOT LINES AND DISTANCES EXTEND TO THE CENTERLINE OF THE ROAD EASEMENT LOT MONUMENTS ARE 16" ON THE EASEMENT RIGHT OF WAY

LINE TABLE

LINE	DIRECTION	DISTANCE
L-37	N65.31.02W	4.58
L-38	N72.25.14W	15.08
L-39	S46.23.52W	76.16
L-40	S88.19.03W	122.69
L-41	S88.19.03W	11.77
L-42	N85.28.19W	10.54
L-43	S46.55.53W	31.57
L-44	N60.09.48W	26.51
L-45	N50.14.44W	19.46
L-46	N27.23.48W	107.47
L-48	N72.25.14W	55.14
L-54	N88.55.21E	180.73
L-56	N88.55.21E	216.74
L-57	S35.27.52W	19.81
L-58	S16.37.31W	166.86
L-59	S08.59.49E	176.24
L-60	S10.56.24E	10.18
L-61	N65.12.48W	109.41
L-62	N29.32.43W	42.41
L-63	N72.28.08W	32.62
L-64	S42.03.24W	156.78
L-65	S69.56.07E	29.22
L-91	N52.56.52W	11.36
L-92	N05.00.00W	70.59
L-115	N55.16.08W	43.67
L-117	N43.58.07W	20.59
L-118	S85.36.40W	6.28
L-120	N65.13.48W	233.82
L-124	N55.16.08W	100.09
L-122	S05.33.37W	177.73
L-124	N88.55.21E	281.00
L-122	S16.07.43E	141.26
L-120	S13.48.17E	141.26
L-123	N13.42.42W	150.78
L-130	N43.58.07W	20.59
L-131	N01.47.12W	12.10
L-133	S88.54.26W	22.82
L-134	N26.48.32W	46.77

CURVE TABLE

CURVE	RADIUS	LENGTH	TANGENT	DELTA
C-22	169.86	29.82	15.00	109.93
C-23	1394.24	411.68	209.35	165.55
C-24	1394.24	187.35	98.84	189.37
C-25	37.89	30.49	15.47	23.26
C-26	350.07	172.38	87.52	25.19
C-27	11.49	19.82	10.00	12.12
C-28	1530.73	93.35	46.69	103.33
C-29	1530.73	201.55	100.82	107.10
C-30	117.73	75.43	43.58	22.02
C-31	215.82	24.36	12.19	96.28
C-32	215.82	125.42	62.59	108.41
C-33	218.56	59.97	20.00	109.15
C-34	471.10	118.84	60.34	104.32
C-35	472.18	21.27	10.67	108.12
C-39	19.80	36.23	19.81	19.15
C-40	563.19	100.52	50.59	109.33
C-41	179.93	5.14	26.77	176.64
C-43	353.50	82.63	41.50	139.54
C-44	218.16	782.49	36.97	47.55
C-45	400.22	92.22	46.85	13.50
C-67	366.35	189.12	102.08	31.98
C-69	787.57	409.85	209.66	29.48
C-84	505.39	99.68	50.00	171.01
C-85	505.39	102.55	26.71	14.25
C-86	205.05	102.20	52.45	28.41
C-88	202.03	165.80	87.54	45.28
C-89	84.28	446.61	132.00	17.99
C-90	190.20	79.50	40.00	15.41
C-91	785.43	294.1	59.15	10.44
C-92	205.05	71.89	10.35	86.28
C-93	234.87	71.95	35.75	15.40
C-94	474.20	145.98	73.57	17.38
C-95	102.31	61.31	31.50	34.13
C-96	453.23	172.57	84.21	16.13
C-97	848.35	472.38	245.18	32.42
C-98	474.20	24.19	11.00	102.40
C-99	859.83	187.71	89.29	13.10
C-100	859.83	333.59	169.01	23.54
C-101	145.84	5.89	2.95	102.18
C-102	145.84	91.77	47.46	36.01
C-103	1057.68	46.23	24.47	102.92
C-104	1057.68	353.62	178.47	19.99
C-105	127.80	26.57	48.08	88.74
C-106	43.72	81.75	60.04	108.17
C-107	632.52	107.68	59.76	17.55

Geodimensions
 1000 S. Center Road
 Shoreline, WA 98151
 Phone: (206) 661-6278
 Fax: (206) 661-6278

Land Surveying
 Planning
 Engineering
 Construction Services

NINE MILE RANCH
 DIVISION V
 OKANOGA COUNTY, WASHINGTON

PROJ. NO. 94701
 SHEET 2 OF 4